





numberlist.js (JavaScript)
Version 3 - Support more number systems
©2011,2015,2022 Aivosto Oy, Finland
www.aivosto.com
Initialize variables
Default maximum number to list










Build numberlist
 x==0: decimal, binary, octal, hexadecimal
 x==1: decimal, base-3, base-4, base-5, base-6, base-7
 x==2: decimal, base-11, base-12, base-20, base-36
 x==3: decimal, unary
 x==4: decimal, BDC, binary
 x==5: decimal, bijective bases

```

var T = "";
lastref++;
T += "<p><a href=#last" + lastref +
">Last</a></p>";
  
```



Yes

```

T += createtable(lastref,
[10, 2, 8, 16]);
  
```

No



Yes

```

T += createtable(lastref,
[10, 3, 4, 5, 6, 7]);
  
```

No



Yes

```

T += createtable(lastref,
[10, 11, 12, 20, 36]);
  
```

No



Yes

```

T += createtable(lastref,
[10, 1]);
  
```

No



Yes

```

T += createtable(lastref,
[10, 0, 2]);
  
```

No



```

T += createtable(lastref,
[10, -10, -2, -26]);
  
```

```

T += "<p><a href=#b" + x
+ ">To start</a></p>";
  
```

Display numberlist

```

list.innerHTML = T;
list.hidden = false;
list.style.visibility = "visible";
  
```

Re-enable button

```

button.disabled = false;
  
```

Hide "Building list..."

```

msg.hidden = true;
  
```



